



Rajiv Gandhi Centre for Aquaculture

(MPEDA, Ministry of Commerce & Industry, Govt. of India)



Date: 16.07.2022

CORRIGENDUM

(Supply and Installation of UPVC Doors and Windows)

Ref:

1. RGCA Tender Reference No: RGCA-DTSP-SEU/CONS/2022-23-011 dated 07.07.2022
2. CPP-publish Portal Tender ID: 2022_RGCA_668190_1 dated 07.07.2022

1. RGCA had published tender for supply and installation of UPVC doors and windows at its project site located at Kanyakumari District, Tamil Nadu, vide references cited above.
2. The below addition is made to the existing technical specifications for UPVC Windows (Supply of Material and Installation), which was provided in one of the additional documents in Annexure-VI, for better clarity.

“Two track two panels sliding window made of (small series) frame 52 x 44 mm & sash 32 x 60 mm both having wall thickness of 1.9 ± 0.2 mm and single glazing bead of appropriate dimension. (Area of window upto 1.75 sqm).

Three track three panels sliding window with fly proof SS wire mesh (Two nos. glazed & one no. wire mesh panels) made of (small series) frame 92 x 44 mm & sash 32 x 60 mm both having wall thickness of 1.9 ± 0.2 mm and single glazing bead of appropriate dimension (Area of window upto 1.75 sqm).

The windows are of varying size, accordingly the specifications would vary. The prospective bidder is requested to visit the project site and access the actual site condition, before submitting the bid”.

3. Other items specified in the tender shall remain unchanged.

For and on behalf of the Director RGCA

-sd-

Chief Administrative Officer, RGCA